

Fresh dairy



MilkSafeTM Solution Test kit product range

Complete test range for fast, reliable, simple and
tracable detection of antibiotic residues in raw milk

MilkSafe™ Strip Test Brochure

Test kits /Antibiotics group	Incubation time	Incubation temperature	Type	Test protocol	Antibiotics
MilkSafe™ 2BC	5 min	40°C	A lateral-flow standard strip test	2 step	Beta-lactams Cephalexin Ceftiofur
MilkSafe™ 3BTC	5 min	40°C	A lateral-flow standard strip test	2 step	Beta-lactams Tetracyclines Cephalexin Ceftiofur
MilkSafe™ 3BTS	5 min	40°C	A lateral-flow standard strip test	2 step	Beta-lactams Tetracyclines Cephalexin Ceftiofur Sulfonamides
MilkSafe™ 4BTSQ	5 min	40°C	A lateral-flow standard strip test	2 step	Beta-lactams Tetracyclines Sulfonamides Quinolones
MilkSafe™ 4BTSC	10 min	40°C	A lateral-flow standard strip test	2 step	Beta-lactams Tetracyclines Chloramphenicol
MilkSafe™ Afla M1	2 + 8 min	40°C	A lateral-flow standard strip test	2 step	Aflatoxin M1
MilkSafe™ Afla M1 500 ppt	2 + 8 min	40°C	A lateral-flow standard strip test	2 step	Aflatoxin M1

The information provided herein is for general information purposes only. All information is provided in good faith. There is no warranty being extended and no liability whatsoever (including without limitation, any direct or indirect damages for lost profits or business interruption) is accepted as to its accuracy, completeness, correctness, non-infringement, merchantability, or fitness for a particular purpose. The product(s) may be covered by pending or issued patents, registered or unregistered trademarks, or similar intellectual property rights. Copyright © Novonesis Group, by ownership or license. All rights reserved.

MilkSafe™ FAST (2.0) Test Brochure

Test kits /Antibiotics group	Incubation time	Incubation temperature	Type	Test protocol	Antibiotics
MilkSafe™ FAST 2BC (2.0)	3 min	50°C	A one-step cassette test	1 step	Beta-lactams
MilkSafe™ FAST 2BC Maxi (2.0)					Cephalexin Ceftiofur
MilkSafe™ FAST 3BTC (2.0)	3 min	50°C	A one-step cassette test	1 step	Beta-lactams
MilkSafe™ FAST 3BTC Maxi (2.0)					Tetracyclines Cephalexin Ceftiofur
MilkSafe™ FAST 3BTS (2.0)	4 min	40°C	A one-step cassette test	1 step	Beta-lactams
MilkSafe™ FAST 3BTS Maxi (2.0)					Tetracyclines Cephalexin Ceftiofur Sulfonamides
MilkSafe™ FAST 4BTSQ	4 min	40°C	A one-step cassette test	1 step	Beta-lactams Tetracyclines Sulfonamides Quinolones
MilkSafe™ FAST CM-1 3BTC	3 min	40°C	A one-step cassette test	1 step	Beta-lactams Tetracyclines Cephalexin Ceftiofur
MilkSafe™ FAST CM-2 3BTC	3 min	50°C	A one-step cassette test	1 step	Beta-lactams Tetracyclines Cephalexin Ceftiofur
MilkSafe™ FAST CM-2 2BC Maxi	5 min	50°C	A one-step cassette test	1 step	Beta-lactams Cephalexin Ceftiofur

The information provided herein is for general information purposes only. All information is provided in good faith. There is no warranty being extended and no liability whatsoever (including without limitation, any direct or indirect damages for lost profits or business interruption) is accepted as to its accuracy, completeness, correctness, non-infringement, merchantability, or fitness for a particular purpose. The product(s) may be covered by pending or issued patents, registered or unregistered trademarks, or similar intellectual property rights. Copyright © Novonesis Group, by ownership or license. All rights reserved.